

Where Flow Matters,
We Deliver.

WHY ACTIVE?




Being a professionally managed company, we have dedicated design, production, application, marketing and service team to serve you and your needs. Our facility is equipped with a SCADA based test bed to ensure quality and consistency of every product that we supply. Our specialty is in delivering cost effective solutions for you. Having a broad range and types of pumps, we are able to provide what is best for you, your application and your goals.



ABOUT US



We are a fluid technology company established in 2011. Providing fluid pumping solutions to textiles, food, pharmaceuticals, cosmetics, chemicals, STP/ETP, MEE, evaporators, ZLD, and many more. Being an OEM supplier to sizing, mercerizing, food processing, packaging, and road equipment and a thermic fluid heating machine manufacturers, ACTIVE has been designing and Manufacturing positive displacement and centrifugal Pumps for pumping, from simple to complex and challenging fluids.



COMPANY MISSION

- To contribute in the “MAKE IN INDIA” initiative spearheaded by our Honourable Prime Minister Shri Narendra Modi towards making INDIA a “Five trillion dollar economy” by 2025.
- Becoming a name synonymous to quality, Reliability and efficiency at a global level.



OUR ACHIEVEMENTS

2300+
customers served

50000+ No of
installations

6+ Countries
exported to

12+ Years of
designing and
manufacturing

32+ Years of
experience
in the field



OUR PRODUCTS

PROGRESSIVE CAVITY PUMPS

Capacity

Flow : Up to 1,00,000 LPH
Pressure : Up to 24 bar
Temp : Up to 120 degree celsius
Viscosity handled : 1,00,000 cp
Concentration of solids handled :
Up to 60 percent



EXTERNAL GEAR PUMPS

Capacity

Flow : Up to 1,00,000 LPH
Pressure : Up to 20 bar
Temp: up to 200 degree celsius
Viscosity handled : Up to 1,00,000 cp



BARREL EMPTYING PUMPS

Capacity

Flow : Up to 1,00,000 LPH
Pressure : Up to 24 bar
Temperature : Up to 120 degree celsius
Viscosity handled : Up to 1,00,000 cp
Concentration of suspended solids handled : Up to 60 percent



LOBE PUMPS


Capacity

Flow : Up to 1,00,000 LPH

Pressure : Up to 10 bar

Temp : Up to 200 degree celsius

Viscosity handled : 1,00,000 cp



VERTICAL CANTILEVER PUMPS

Capacity

Flow : Up to 3,00,000 LPH

Head : Up to 100 meters

Temperature : Up to 200 degree celsius

Installation depth : Up to 6 meter




THERMIC FLUID PUMPS

Capacity

Flow: up to 3,00,000 LPH

Head: up to 100 meters

Temperature: up to 350 degree Celsius



SELF PRIMING CENTRIPETAL PUMPS

Capacity

Flow : Up to 20,000 LPH

Head : Up to 30 meters

Suction capacity : Up to 5 meters




CHEMICAL PROCESS PUMPS

Capacity

Flow : Up to 3,00,000 LPH

Head : Up to 150 meters

Temperature : Up to 200 degree Celsius



SELF PRIMING NON CLOG PUMPS


Capacity

Flow : Up to 2,75,000 LPH

Head : Up to 35 meters

Suction capacity : Up to 60 degree Celsius

Solid size handled : Up to 40 mm



SANITARY PUMPS

Capacity

Flow : Up to 1,40,000 LPH
Pressure : Up to 70 meter
Temp : Up to 120 degree Celsius



SLURRY PUMPS

Capacity

Flow : Up to 1,40,000 LPH
Pressure : Up to 70 meter
Solid concentration handled :
Up to 60 percent
Power : Up to 200 HP
Discharge connection : Up to 400 mm



SEWAGE SUBMERSIBLE PUMPS

Capacity

Flow : Up to 15,00,000 LPH
Head : Up to 75 meter
Solids size handled : Up to 150 mm
Power : Up to 200 HP
Discharge connection : Up to 400 mm
Protection : IP-68
Seal : Double mechanical seal



FULLY INTERGRATED TESTING FACILITY



At Active, we understand that reliable and efficient pumps are crucial for your industrial operations. That's why we don't just manufacture pumps – We rigorously test them to ensure they meet the highest standards of performance.

INDUSTRIES WE SERVE

- Effluent and wastewater treatment
- Chemicals and petrochemicals
- Pharmaceuticals and cosmetics
- Paints and dyes
- Textiles
- Road and construction
- Filtration
- Oil and gas
- Packaging
- Mining
- Environment and energy.

OUR CLIENTS



GET IN TOUCH

OFFICE : B-404, Galaxy Business Park, Sardar Patel
Ring Rd, Ahmedabad, Gujarat 382345

PHONE : +91 95376 52908 | +91 97148 03035 | +91 98240 85666

E-MAIL : info@activepumps.com | marketing@activepumps.com |
actme@activepumps.com

WEBSITE : www.activefluidtechnology.com